DOI淹0. 13288/j. 11-2166/r. 2017. 03. 013

돐鵚쎝냄

슦磨莽맑맪뫍뇊뎨죓돋磨뾴亂떵顰뫍껕죒좩책 260 댂麋죕싉뷫귿麂쟚돐鵚쎝냄

욱魘[*] 錯짣꾧鷓[1]錯뿹볡鴆[1]錯닳뗹[2]錯쏳쑱[3]錯싱돦[4]錯곓닻[5]錯뚷맥균[6]錯뿷뎏믿[7]

俛. 뛔낮죕쓂쒮鵑썴齋볹쓂욿錯꾲뷙벦뛔낮볕겾죕뒼 155 곊錯210029灴2. 볜齡쓂뇋鵑썴齋볹魆낮죕쓂쓂욿灴3. 볜齡쓂뇋鵑썴齋볹魆낮磨뾴쓂욿灴4. 쏒鰻볕죕쓂욿灴5. 믔겨볕磨뾴쓂욿灴6. 믂鷓鵑썴룰뒸磨뾴쓂욿灴7. 믲췟볕磨뾴쓂욿儥

鍊캕쒯鍋 뛄鶺 铱鰭슦磨莽맑맪뫍뇊뎨죓돋磨뾴亂떵顰뫍껕죒좩鶺돞鵚돋슬。 黛穱 꾰 386 댂亂떵顰뫍껕죒좩귁磨髂쟚麋죕싉、죕쏰뷫귿、뢾싕麂쟚鶺욲웷黨삯죓돋짮 260 댂곒麂쟚짮 126 댂錯죓돋짮齡역슦磨莽맑맪뫍뇊뎨죓돋錯麂쟚짮齡역꾦磨맪꿧쒿죓돋錯돞짮돋鱷냾삯 3 뻱。 魈꿔돞짮귁磨죓돋릵곸주쒯좧징 俛髟늭黎뫍、濬齋쟒뾹儥 鵁쒯좧징 俛髟겱쎗鯢곱죜、麌顰겳、鮭겾、뇍뷙、떳뮰儥 몰鯢좧징긂黨錯鯀럕鶴돞鵚돋슬。 꿠가 죓돋짮몱엿듏 22. 69% 錯짽엕슬듏삯 68. 08% 灴麂쟚짮몱엿듏 14. 29% 錯짽엕슬듏삯 51. 59% 錯돞짮몱엿듏、짽엕슬듏쇚쓱엕뾸껋썴쓧쓫 俛′ < 0. 05儥 돞짮죓돋곸주쒯좧징、鵁쒯좧징긂黨곒몰鯢좧징긂黨냾꿔죓돋릵뗼쇙꾹鷑 俛′ < 0. 05儥 죓돋짮죓돋곸주쒯좧징긂黨곒몰鯢좧징긂黨꿔麂쟚짮뗼쇙꾹鷑 俛′ < 0. 05儥工膿죓돋곸돞짮鵁쒯좧징긂黨魈꿔쇚쓱생뾸껋썴쓧쓫 俛′ > 0. 05儥 꿠든 슦磨莽맑맪뫍뇊뎨뇎엕슬齋뮲磨뾴亂떵顰뫍껕죒좩鶺돞鵚좧징錯엍룩麂黎뫍、濬齋쟒뾹齋뮲뗼쇙。

鍊氤꼁鴿鍋 亂떵灴슦磨莽맑맪뫍뇊뎨灴顰뫍껕죒灴磨뾴

亂떵볌뿧亂顰습쓦룵鶺쓀죛黫삾꺷鮭錯쓙黎뫍、麌겳、魇묀、뇍뷙、뾼뾹鷓삯주쒯돞鵚魕쇷錯엛鱮 “믐顰”錯쇥鷂엟쇷鶺쓂썴鶺꺷싙믔곹색鶊亂뫃죕쓂쟴돋좽뛔》鍊鍋죕顰뫍껕죒좩。 주좧滝黎뫍錯濬齋쟒뾹灴鵁좧滝쏏鯢곱죜錯麌顰겳錯鮭겾錯뇍뷙錯떳뮰繅곱錯뾼뾹錯몰믲뷦뾹錯엕뺂錯슦魑뮰귋도믞錯鵑魑癵。 냤魁주좧黎뫍、濬齋쟒뾹꺵鵁좧뫓쓧 3 쇳錯꿠곔믥듻錯꺹뇎쟴麂。

1 돞鵚짏돔

1. 1 쟴麂魔직

샼쓂쟴麂魔직鯪쟚 《麡뇋썴》鍊鍋꺵돞鵚낲쏯뛧鶴滝1儥 엕亂떵돼싕꿘鴦벼。2儥돞鵚魕쇷滝麌겳黎뫍、몰믲鯠볏、뾼뾹、黏덳、러삐、魇묀、돼뻮、쏏뾹鷓。3儥썷鱠ㅠ滝高솽髮짡볼 < 12 × 10^9 /L 꺵죕싙뎨솽髮燄黨魈 < 60% 錯C 黜얫鷂高 < 10 mg/L錯식鯢 X 쇤뢱젂鱠。

죕쓂쟴麂꺵鼆좩魔직鯪뇁 《슦磨꺷싙믔곹색鶊鮭鹹亂뫃죕쓂쟴돋좽뛔》鍊鍋죕顰뫍껕죒좩。 주좧滝黎뫍錯濬齋쟒뾹灴鵁좧滝쏏鯢곱죜錯麌顰겳錯鮭겾錯뇍뷙錯떳뮰繅곱錯뾼뾹錯몰믲뷦뾹錯엕뺂錯슦魑뮰귋도믞錯鵑魑癵。 냤魁주좧黎뫍、濬齋쟒뾹꺵鵁좧뫓쓧 3 쇳錯꿠곔믥듻錯꺹뇎쟴麂。

1. 2 뛏뫰魔직

顰곔믔볻쟴麂꺵鼆좩魔직灴뛯돩 6 齠웆 ~ 14 죡뷯灴鮭鱷 ≤ 48 h灴뫰쎦벶黎뫍、濬齋쟒뾹륑黨냾 ≥ 3 黨鍊鍋灴좯맮뾱쓧。

1. 3 럊鮖魔직

鮭쇷낯쫏鉤歍쟤灴뻪샇 ≥ 39℃ 쟤灴꺷싙鵁뫃鮭鮯룟灴곔鯀궴랬싙魑뻗뻪쏜、꺷싙亂뫃싙곲쏜、꺷싙좬룽庴쏜鷓灴갂뗹뻪죏錯뫬麂뎦죛귛쑱믔쒮샴귛벸샴갂뗹벼쟤錯귛쓖좯麂魆쒮鰼黨갂뗹쟤灴젂웟鯪께룩븀쒮샴돞鵚볙쏯鶺귁麡。

1. 4 쓀髡짏돔

髂쟚麋죕싉、죕쏰뷫귿、뢾싕麂쟚鶺욲웷錯꿛죿 SAS 19. 0 뫬꼃鰔믿 390 댂뼭볙쟤뷾꿘뼭鴦닯

귾꿿쇳뛄滝[a] 껗놯껁죝鵑즭쇳짘뉟뻧죝鵑싙쒮鴆죋侙012ZX09303009儥

* 삍썧짼쟤滝uanbin68358@163. com錯3851463308

?1994-2017 China Academic Journal Electronic Publishing House. All rights reserved. http://www.cnki.net

俛쵫돋쒮곒麂쟚쒮儥鶒뷫귿髒럊錯짳죚볚꺴鬩 2015 뛯 9—11 웆鶒뗊쟴귁麛 386 댂錯룩죕뛔낮죕쓂쒮鵑쎬齏볹쓂욿 66 댂錯믔겨볕麛뾴쓂욿 57 댂錯볜齡쓂놯鵑쎬齏볹魅낮죕쓂쓂욿 55 댂錯볜齡쓂놯鵑쎬齏볹魅낮麛뾴쓂욿、믲쳇볕麛뾴쓂욿、믂鷓鵑쎬룰뒸 麛뾴쓂욿齠 54 댂錯쎛鰱볕죕쓂욿 46 댂。죓돋짮 260 댂죕뛕 144 댂錯랳 116 댂灴뛯돩 0 ~ 14 뷯錯뢾 냾 俛. 47 ± 2. 98儥뷯灴鮭鱵 0 ~ 2 뻱錯뢾냾 俛. 23 ± 0. 67儥뻱。麂쟚짮 126 댂죕뛕 69 댂錯랳 57 댂灴뛯돩 1 ~ 13 뷯錯뢾냾 俛. 94 ± 2. 65儥뷯灴鮭鱵 0 ~ 2 뻱錯뢾냾 俛. 33 ± 0. 58儥뻱。뎾짮귁麛쒈髡짏돔 魑꿔鯏쓱냾샣뾸껋쎬쓧쓪俛 > 0. 05儼錯냤엕뇎魑쉍。

2 黛藝

2.1 죓돋黛藝

죓돋짮滹齡역슦麛莽맑맪뫍뇊뎨 俛엎뎱맑、鷁鹵莽、髏곎、남꿫、鱣ㄸ짘、鵑귋、맥쿴、蠡뭏、森닋、곶룞、귋컐、맪髣쇉、魅鯽괛、齐鯱膠쟚 2. 7∶2∶1. 3∶1. 3∶1. 1∶1. 1∶2∶1. 3∶1∶2∶2∶2∶1. 3∶1. 1 魑댂짮鰼錯뗄鵝 2 g錯꾲 뷙껈鴪죋쒮엕쇣祓뷃믿鰄錯ᄇᄇ쒮직짛 Z20050154儥뇟帶。었藝滹6 齠읓 ~ 1 뷯 1 g、1⁺ ~ 3 뷯 2 g、3⁺ ~ 6 뷯 3 g、6⁺ ~ 9 뷯 4 g、9⁺ ~ 14 뷯 6 g錯뗄뫚 3 鴪錯놯뷫鈍帶錯뎱帶 3 뻱。

麂쟚짮滹齡역꾦麛맪꿧쒿 俛엎꿵쓽궭、냚궭、뎱맑、믂壉、뇥싈뫏、鱭뢩짮鰼錯뗄좬 10 ml錯꾲 샼욺鷓쒮쒺엕쇣祓뷃믿鰄錯ᄇᄇ쒮직짛 Z36020234儥뇟帶錯었藝滹6 齠읓 ~ 1 뷯 4 ml、1⁺ ~ 5 뷯 8 ml、5⁺ ~ 9 뷯 10 ml、9⁺ ~ 14 뷯 15 ml錯뗄뫚 3 鴪錯뎱帶 3 뻱。

귁麛뻪샇뫹鱠갂 38. 5℃錯꺹齡역鯡듪黯鷓뿐뫍쒮샴錯魎쒯벷鯧몦鯞쒿鷓볏鷂鶒麂좧좬鱳鴦닾。

2.2 铱鰭좽魔곒黛藝

鯪쟚 《죕 쒮싇 쒮돞鵚뻹냄좽鷅욲웷 俛쁵싕儥鍊鍋鯀뀚곔돞鵚낲쑺죋鶴좧징긂黨룅黨魔직錯꾰주쒯좧징、鴪쒯좧징꺵뻪쟼髂룩鱺鹿鶒맦쵵黨꺵 꿽싕껋黨。주쒯좧징滹黎뫍滹샣錯껋 0 黨灴37. 5 ~ 38. 2℃錯껋 3 黨灴38. 3 ~ 39℃ 껋 6 黨灴 > 39℃ 껋 9 黨。灆齋쟒뾹滹샣錯껋 0 黨灴灆齋믙쟒錯럁뾹錯껋 3 黨灴灆쟒錯쟀뾹錯껋 6 黨灴灆쟒錯뻠뾹錯껋 9 黨。鴪쒯좧징滹쎗鯢곱죜齡냢룩쏔죝鱺鹿黨 3 꺵錯黨魑껋 0、1、2 黨。麙顅겳、鮭겾、뇍붡、뗫뮰黨 2 꺵錯젂鰌껋 0 黨錯쓱鰌껋 1 黨。

2.3 돋슬럕鶴魔직

鯪쟚 《죕 쒮싇 쒮돞鵚뼽냄좽鷅욲웷 俛쁵싕儥鍊鍋뛯鶴錯몱엿滹주좧긂黨삯 0錯짽긂黨죓돋곸꿔죓돋릵꾺鶒≥90% 灴쇙슬滹주좧긂黨、짽긂黨죓돋곸꿔죓돋릵냾꾺鶒≥60% 맗 <90% 灴엕슬滹주좧긂黨、짽긂黨죓돋곸꿔죓돋릵냾꾺鶒≥30% 맗 < 60% 灴생슬滹주좧긂黨、짽긂黨죓돋곸꿔죓돋릵꾺鶒 <30%。좧징긂黨껺믞 = 俛죓돋릵긂黨 - 죓돋곸긂黨儥 / 죓돋릵긂黨 ×100%。쓙믔몱엿、쇙슬、엕슬鶒주좧긂黨、짽긂黨뫹좩鵔鷅 1 쇳錯웷꾺鶒 1 꺵껋뷨。

2.4 뾸껋쎬黛藝

鯧었 SPSS 19. 0 꿽싕뾸껋黨샻。껋도짏돔黷곔젂뻩黨鯡쓙냾볾 ± 魔직鯏魕볃錯黷곔젂뻩黨鯡꺵黛鯏룰싙쟤鯧었 *t* 껱쑺錯鯠黷곔젂뻩黨鯡꺵黛鯏룰싙쟤鯧었 *Wilcoxon* 죍곒껱쑺。껋볾짏돔鯧었 χ^2 껱쑺錯 $P < 0.05$ 삯鯏쓱냤엕뾸껋쎬쓧쓪。

3 꿨가

3.1 뎾짮귁麛돞鵚돋슬魑꿔

죓돋짮 260 댂죕몱엿 59 댂錯쇙슬 118 댂錯엕슬 0 댂錯생슬 83 댂錯몱엿듏 22. 69% 錯짽엕슬듏삯 68. 08% 灴麂쟚짮 126 댂죕몱엿 18 댂錯쇙슬 46 댂錯엕슬 1 댂錯생슬 61 댂錯몱엿듏 14. 29% 錯짽엕슬듏삯 51. 59% 錯뎾짮몱엿듏、짽엕슬듏魑꿔鯏쓱엕뾸껋쎬쓧쓪 俛 < 0. 05儼錯죓돋짮엊엟麂쟚짮。

3.2 뎾짮귁麛죓돋릵곸좧징긂黨魑꿔

뻻 1、뻻 2 볃錯죓돋릵뎾짮魑꿔錯주쒯좧징꺵鴪쒯좧징긂黨곒몰鯢좧징긂黨鯏쓱냾생뾸껋쎬쓧쓪俛 > 0. 05儥 뎾짮죓돋곸주쒯좧징、鴪쒯좧징긂黨곒몰鯢좧징긂黨냾꿔죓돋릵뗄쇙꾺鶒 俛 < 0. 05儥

뻻 1 뎾짮毗떵顅뫍껕죒책귁麛죓돋릵곸주쒯좧징꺵몰鯢좧징긂黨魑꿔 俛黨錯$\bar{x} \pm s$儥

짮魑	벶껩	댂봂	주쒯좧징		주좧짽긂黨	몰鯢좧징긂黨
			黎뫍	灆齋쟒뾹		
죓돋짮	죓돋릵	260	3. 74 ± 1. 96	2. 94 ± 1. 52	6. 89 ± 4. 14	12. 68 ± 3. 86
	죓돋곸	260	0. 51 ± 1. 24*△	0. 78 ± 1. 32*△	1. 37 ± 2. 04*△	3. 81 ± 3. 32*△
麂쟚짮	죓돋릵	126	3. 76 ± 1. 93	2. 98 ± 0. 97	6. 74 ± 2. 10	12. 48 ± 3. 32
	죓돋곸	126	1. 05 ± 1. 58*	1. 19 ± 1. 52*	2. 22 ± 2. 31*	4. 96 ± 3. 37*

쥀滹연魆짮죓돋릵魑꿔錯* $P < 0.05$灴연麂쟚짮죓돋곸魑꿔錯△$P < 0.05$

?1994-2017 China Academic Journal Electronic Publishing House. All rights reserved. http://www.cnki.net

뻹 2 덶짮衄떵黷뫍껕죒책귁麘죓돋릵곸쳄쒯좧징긂黨쾓꿔 侊黨錯$\bar{x} \pm s$價

쳄쒯좧징	벶껩	댂봂	쏏鮵곱죜	麘黷곒	鮭겾	뇍뷙	뗫뮰
죓돋짮	죓돋릵	260	0.95 ± 0.44	0.19 ± 0.39	0.33 ± 0.47	0.72 ± 0.45	0.22 ± 0.42
	죓돋곸	260	0.45 ± 0.51*	0.04 ± 0.62*	0.03 ± 0.17*	0.54 ± 0.50*	0.07 ± 0.26*
麂쟚짮	죓돋릵	126	0.96 ± 0.43	0.13 ± 0.34	0.29 ± 0.45	0.72 ± 0.45	0.18 ± 0.39
	죓돋곸	126	0.54 ± 0.50*	0.01 ± 0.89*	0.02 ± 0.13*	0.54 ± 0.50*	0.06 ± 0.24*

쥓滝연魆짮죓돋릵魎꿔錯* $P < 0.05$

죓돋짮죓돋곸주쒯좧징긂黨곒몰鮵좧징긂黨꿔麂쟚짮뗄쇙꾹鷑 侊$P < 0.05$儥Ⅰ麚죓돋곸뎾짮鵁쒯좧징긂黨魎꿔鰰쓱샣뾸껋쎬쓧쓪 侊$P > 0.05$價

4 뻛든

슦麘꺶싙믔곹색飂鮭鹹衄뫃쟁슦麘꺶싙믔곹색飂衄뫃鷯 90% 쓙믔錯鮭욲뻪髽늭魇鮭鹹、곹색飂곔髽鮭鹹、돼衄鮭鹹、鼬돼衄鮭鹹、쇕鮭鹹、硱징鮭鹹鷦鍊鍋。죕쓂쎬뫔삯錯슦麘衄떵쓙黷뫍싮냘麋錯엎엟룩 “뢧鱠鯠짮”鷯뻝鷛錯衄떵벶쑬鮭쇚齋듿쟒뾹鷦껕죒쇚쇸。슦麘莽맑맪뫍뇊뎨엎뎱맑、鷁鹵莽、霾곎、남꿫、鱣叶짘、鵖귋、맥쿴、蠡믛、森닋、곶룞、귋컐、맪髣쇉、魆鯽괛、齐鰬짮鰼錯볌죓돋슦麘衄떵黷뫍껕죒좩鷯鱠었죕鰼쒮죋껆。黛죕鷁鹵莽、鯽괛、霾곎곎남꿫뾹꿧魕습、쌀슢엹뫍錯귋컐、뎱맑곎叶짘맪싉슿귵、꿧뮧믔꾾쵋뫍錯鵖귋、곶룞、髣쇉、森닋숀벸鰬죒쓙맪긂뫍錯맥쿴、蠡믛맪뫍뎾쎯錯齐鰬맪뫍꿧鹹、鷥곎죳쒮錯죳쒮쇥곔錯涼짥볭黷꿧魕、맪뫍鰬죒쵋鵯슬。쇚鷯쒮닯쎯쎬냄魕뗄錯뎱맑鷯엕슬鰼黨뎱맑遇컚냤엕꺰맄鷯뇊냿、뇊鮭鹹귲싙錯룩껜鴷뻦몦샴램쿶컚용엕뗄쇙鷯뇊쏜귲싙곎쵖뾹짼었鍊鍋。鷁鹵莽鷯가냠뻌 侊3-2, 6-가냠뻌儥냤엕뗧쓤鷥꿟鷯짼었錯뛡엕슬궿꿧黎뫍鷦좧징鍊鍋。霾곎鷯주쒯엕슬鰼黨삯霾곎엒、霾곎뛡、귋쀻닥궴곔샴鷦錯냤엕뇊鮭鹹、뇊쏜、쟷뾹鷦짼었錯룩붲뻦몦샴麂麋죛굩색飂鮭鹹엕쓡죋짼었鍊鍋。남꿫냤엕꿧뫍쟷뾹、뇊쏜鮖냿鷯짼었錯룩黎귘짼었鷯주쒯鰼黨삯남꿫귘黎엒鍊鍋。귋컐주쒯鰼黨삯귋쀻닥궴곔샴錯룩죕귋컐컚、귋컐뷝、귋컐귋쀻 F36 鷦뇎뛡쀹갂쓡죋묂돜뷦쇞컚 侊TP儥곔鰼떽、쓡죋鮭鹹饢죋곎豳궩뷣주솽髽鷦黎귘뇊냿뇊鮭鹹짼었鍊鍋。곶룞주쒯엕슬鰼黨곶룞駟뇎쓙뗄쇙억쇱髙솽髽鷯鶇뛡錯麂쏜싙꿮죏 LTB4 곎 5-HETE 鷯믿샴곔鰼엕꿔맄鷯쓡죋짼었錯鵱麃駿鰬뇊쏜짼었錯맗곶룞뛡쀹갂뻦齗썷꽁삽鷲뷝뷏뢾웻께삽鷲뎫鍊鍋。髣쇉죕髣쇉짡믿샴껭뇎뛡쀹갂쓡죋쏜좧쓷짘릵돕쇞 E_2 鷯鰬믿곎볓點麃黎귘뇊쏜짼었鍊鍋。森닋껭볌森닋죕麂삽鰍원鷲엕鴾꿽짼었鷯엕슬鰼黨쵋쒈錯룩뇎齋믋齋듿쟒뾹鷦좧징鍊鍋。鯽괛鷯엕슬鰼黨鯽괛웲컚냤엕쇙죽鷯뇊쏜짼었錯魕쇚웟쓡죋쏜좧꿮죋鷯볏點곔뫧뫭鷯믿鱔、뇊믽鮭쓙꺵쓡죋죜쎌죜鷯믿鱔、뇊믽鮭鹹、5-聖뮰髏뷾쥓鷯떰솽쎯庸쀹뾽쉍밂齘錯뾱벶궲麂髙솽髽엓짤、꿠鷙짮좼웻믿鷦룩븀쏜좧쮰얫쒷엕쇙죽쓡죋짼었鍊鍋。쓷鷮錯쇚鶜쒮닾쎯쎬냄꿽쒈鮜좩뵌돐魆뢼냤엕뇊쏜뇊鮭鹹、맪뫍鬩죒鷯짼었錯뉚었엟衄떵黷뫍껕죒좩鷯돋슬。麂뎦짮衄떵黷뫍껕죒좩귁麘죓돋릵곸주쒯꺵鴷쒯좧징긂黨꿽싕魆꿔錯鯀꿽싕엕슬싙룅껠。꿠가魕뗄錯슦麘莽맑맪뫍뇊뎨뇎엕슬齋믋麘뾴衄떵좼黷뫍껕죒좩鷯좧징錯엍룩볌麂엟귁麘黎뫍、澬齋쟒뾹좧징齋믋뗄쇙。뎦짮귁麘鴷좧긂黨魆꿔뷩샣뗄쇙鰰쓱錯鷁냾꿔죓돋릵뗄쇙곈즯錯뇎뛡연鮵黨鴷좧黎믿듏鯠齗엕氤錯엕鵝꿽쒈鮜鷯돞鵘쎝냄。

鯪뇁색쇜

鍊鍋뾡볡鴻鐯뗊麘. 죕쓂麘뇋썴鍊M鍋 魆낮澱죕 ᵒᵒ 죕쓂쒮鮭髡믬錯012澱4.

鍊鍋듞몭鑗痳볤궯鑗甖뻯鑗鷁. 죕 ᵒᵒ 麘뾴룞쀹衄떵 ᵐᵐ 黕쟴죓즭껗涼벻侊013 뛯儥鍊鍋 죕 ᵒᵒ 벺었麘뇋윐좼鐊013鑗8侊儥竜81-685.

鍊鍋ᴹᴹ 업곋鐯뼯싆鷓. 麘뇋썴鍊M鍋 魆낮澱歑 뗶샅믿鮭髡믬錯2015澱10-211.

鍊鍋볅꿐죕쓂쒮썴귦뎯곔귦麘뇋즭쒀살욶귦. 슦麘꺶싙믔곹색飂鮭鹹衄몰죕쓂쟴돋좽뛔鍊鍋 뛔낮죕쓂쒮鵑썴썴鬻錯011錯7侊儥竜04-208.

鍊鍋홰樗콜. 죕쒮싙쒮돞鵘쎝냄좽鰬욲웷侊볙싕儥鍊M鍋 魆낮澱죕 ᵒᵒ 쓂쒮뇋껁鮭髡믬錯2002澱6-58.

鍊鍋괏냯鐽돚鐺챡껦鐯鷁. 뎱맑鷯쎝냄꿽잾鍊鍋 죕뛔쒮썴錯2012錯0侊0儥竜60-764.

鍊鍋닳뜅鐯뫭髙. 鷁鹵莽죕鷯쓱귋뾹鰼黨꺵쒮닯짼었연돞鵘얫었鍊鍋 죕 ᵒᵒ 쇚鷯죕쒮錯008錯0侊儥竜8-19.

鍊鍋닳쇮鐺釵 색黷. 礒곎鷯궴썴鰼黨꺵돞鵘얫었쎝냄꿽잾鍊鍋 죕뛔쒮썴錯011錯侊儥竜62-365.

?1994-2017 China Academic Journal Electronic Publishing House. All rights reserved. http://www.cnki.net

鍊鍋쟊닻鐺똰鐺鼕鑽鵨. 남꿪뛟遇냠뫮뷠쓗鴷뷠뛎떤뎨鶒 뇊쏜、쟷뾹꺵꿧뫍짼었鍊鍋 죕ᅠᅠ쒮뇋鵨썴썴鸉錯008錯9 佗價竜33-436.

鍊0鍋뀟엳궼鐺뢯언넂. 남꿪귘黎엒뇊쏜짼었鶒벺쑺쎝냄 鍊鍋 죕ᅠᅠ뗶짪뗶껩쓂쒮錯009錯8佗1價竜-2.

鍊1鍋닎색%鐺뢯놢뇋鐺뢿ᅠᅠ뫞鑽鵨. 귋컐뷝곒귋컐컚鶒쒮닯짼었꺵귿죋쎝냄꿽잾鍊鍋 죕ᅠᅠ싇쒮윐좽鐽013鐽2 佗價竜47-659.

鍊2鍋똋얧鐺텰뒀껖. 귋컐죕귋쀻닥궴곔샴쒮닯썴짼었쎝냄 꿽잾鍊鍋 죕ᅠᅠ랮쒺鵨썴썴鸉錯003錯佗價竜-14.

鍊3鍋닳꿡룁鐺뾡뾸鐺폮뇐용. 곶룞騵麂鵨본高솽髽 5-쵉쐎곔 떽귲싙곒솽髽뛟齏닰짘랭鹿鶒억쇱鍊鍋 ᄆ鷓쓂썴욿 썴鸉錯002錯0佗價竜77-178.

鍊4鍋쏩髖샩鑶랄廳鐺轟닭삵. 곶룞ᄒ벺럩삶麂鵨본삽鷰뎃 鶒억쇱鍊鍋 죕ᅠᅠ벺쑺黛껆썴윐좽錯011錯7佗5價竜75-177.

鍊5鍋폮쯀鐺샩墜. 髣쇉짡믿샴껳뇊쏜짼었쎝냄鍊鍋 죕쒮쒮닯연돐鵚錯006錯2佗價竜7-89.

鍊6鍋뛤쓅鷓鑴뼔꾭궲鑴뾿놢. 즀닋꺵즀닋껳麂삽鰍짼었鶒 麂魈쎝냄鍊鍋 죕쒮쒮닯연돐鵚錯004錯0佗價竜1-12.

鍊7鍋닳뫏ᅠᅠ. 鯽괏엕슬鱈黨꺵쒮닯짼었黨샻鍊鍋 믇샼죕 쓂錯013錯4佗價竜50-751.

鍊8鍋躋뒼껖鑴뾳奘鐺돺뎧뎧鑽鵨. 슦麚莽맑맪뫍뇊뎨죓돋슦 麚믔곹색鷛齖뭏鶒삾뽈룅껠鍊鍋 죕ᅠᅠ쒮쒺錯013錯2 佗4價竜7-50.

鍊9鍋辰쇻黷. 슦麚莽맑맪뫍뇊뎨齋믋꺶싙믔곹색鷛齖뭏귁 麚돐鵚좧징꺵쏜좧쓷짘쎝냄鍊鍋 쇚鶼죕샼쓂꿨곔웘 좽錯012錯1佗2價竜557-3559.

Multicenter Randomized Controlled Trial of *Xiao´er Chiqiao Qingre Granules* 佗슦麚莽맑맪뫍뇊뎨**債in Treating** 260 **Children of Cold with Wind-heat with Stagnation Syndrome**

YUAN Bin[1]錯ZOU Jiandong[1]錯WANG Shouchuan[1]錯LI Min[2]錯YANG Yan[3]錯XU Ling[4]錯HE Li[5]錯MOU Qing-hui[6]錯WAN Lisheng[7]

佗. Affiliated Hospital of Nanjing University of Chinese Medicine錯Nanjing 210029灯2. Beijing Chinese Medical Hospital錯Capital Medical University灯3. Beijing Children´s Hospital錯Capital Meidical University灯4. Chinese Medical Hospital of Yancheng City錯Jiangsu Province灯5. Shanghai Children´s Hospital灯6. Qilu Children´s Hospital錯Shangdong University灯7. Shenzhen Children´s Hospital**債**

ABSTRACT **Objective** To observe therapeutic effect of *Xiao´er Chiqiao Qingre Granules* **佗**슦麚莽맑맪뫍뇊뎨**債**in treating children with cold of wind-heat with stagnation syndrome. **Methods** Divided 386 cases of children with cold of wind-heat with stagnation syndrome into treatment group **佗**60 cases**債**and control group **佗**26 cases**債**according to multicenter**錯**central randomization**錯**parallel control design. The treatment group was given *Xiao´er Chiqiao Qingre Granules* while the control group was given *Jian´er Qingjie Liquid* **佗**뫎麚맪뀟쒿**價措**both treated for 3 days. Compared scores of main symptoms **佗**ncluding fever**錯**listending pain of stomach and abdomen**債 錯**condary symptoms **佗**ncluding pharyngeal red and swollen**錯**aversion to wind and cold**錯**sweating**錯**cough and face color**債**and scores of total syndromes of children in two groups before and after treatment. And also evaluated the clinical curative effect. **Results** The curative rate in the treatment group was 22.69% with total effective rate 68.08%**灯**the curative rate in the control group was 14.29%**錯**with the total effective rate 51.59%. There was statistical significance in difference of curative rate and the total effective rate between groups **佗***P* < 0.05**債** Scores of main symptoms**錯**secondary symptoms and total symptoms all remarkably decreased than that before treatment **佗***P* < 0.05**債** Scores of main symptoms and total symptoms remarkably decreased compared with that in the control group **佗***P* < 0.05**債 灯**ere was no statistical significance in difference of scores of secondary symptoms in two groups after treatment **佗***P* > 0.05**債** **Conclusion** *Xiao´er Chiqiao Qingre Granules* could effectively improve clinical symptoms of children of cold with wind-heat with stagnation syndrome. It was especially effective in improving fever and distending pain of stomach and abdomen.

Keywords cold**灯***Xiao´er Chiqiao Qingre Granules***灯**wind-heat with stagnation syndrome**灯**children

佗뛰衅뫚룟滝2016 – 09 – 27**灯**싣귝뫚룟滝2016 – 10 – 24**債**

鍊鼇꺬滝쒻 鰬鍋

?1994-2017 China Academic Journal Electronic Publishing House. All rights reserved. http://www.cnki.net